ST AVAILABLE COPY

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 13324WO/mi		FOR FURTHER A	CTION	See Form PCT/IPEA/416			
International application No. PCT/EP2004/006115			International filing date 07.06.2004	(day/month/year)	Priority date (day/month/year) 13.06.2003		
International Patent Classification (IPC) or national classification and IPC C23F1/46, C23G1/36, C25C7/00, C25C1/12							
Applicant ATOTECH DEUTSCHLAND GMBH et al.							
1.	This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.						
2.	This REPORT consists of a total of 5 sheets, including this cover sheet.						
3.	This report is also accompanied by ANNEXES, comprising:						
	a. Sent to the applicant and to the International Bureau) a total of 3 sheets, as follows:						
	and/c	ts of the description sheets containing initing the containing initing the contaction in the contact in the con	ng rectifications authori	ngs which have been am zed by this Authority (see	nended and are the basis of this report e Rule 70.16 and Section 607 of the		
	beyo	ts which supersec nd the disclosure llemental Box.	te earlier sheets, but w in the international app	hich this Authority consic dication as filed, as indica	ders contain an amendment that goes ated in item 4 of Box No. I and the		
	sequence	e listing and/or tab	les related thereto, in c	ndicate type and number omputer readable form o 2 of the Administrative Ir	of electronic carrier(s)) , containing a only, as indicated in the Supplemental nstructions).		
4.	This report contains indications relating to the following items:						
	Box No. I	Basis of the opin	nion				
	☐ Box No. II	Priority					
	☐ Box No. III	Non-establishme	ent of opinion with rega	rd to novelty, inventive s	tep and industrial applicability		
	☐ Box No. IV	Lack of unity of i			·		
	☑ Box No. V			 with regard to novelty, supporting such statement 	inventive step or industrial ent		
	☐ Box No. VI	Certain docume					
	_		n the international app		•		
	☐ Box No. VIII	Certain observat	tions on the internation	al application			
Date	of submission of the	demand		Date of completion of this	report		
10.0	2.2005			29.08.2005			
Name	and mailing addres	ss of the internationa	al	Authorized Officer	nei Pelon.		
preliminary examining authority: European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465			56 epmu d	Mauger, J Telephone No. +49 89 23	99-8447		

80/959396

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/006115

IAP16 Reside Contro 65 DEC 2005

	Box No. I Basis of the report				
1.	With regard to the language, this report is based on the international application in the language in which filed, unless otherwise indicated under this item.				
	which is the language of a to international search (und publication of the interna	slations from the original language into the following language, ranslation furnished for the purposes of: ler Rules 12.3 and 23.1(b)) tional application (under Rule 12.4) examination (under Rules 55.2 and/or 55.3)			
2.	Ith regard to the elements* of the international application, this report is based on (replacement sheets which ave been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this eport as "originally filed" and are not annexed to this report):				
	Description, Pages				
	1-13	as originally filed			
Claims, Numbers					
	1-10	received on 01.08.2005 with letter of 01.08.2005			
	Drawings, Sheets				
	1/3-3/3	as originally filed			
	☐ a sequence listing and/or ar	ny related table(s) - see Supplemental Box Relating to Sequence Listing			
3.	 □ The amendments have resulted in the cancellation of: □ the description, pages □ the claims, Nos. □ the drawings, sheets/figs □ the sequence listing (specify): □ any table(s) related to sequence listing (specify): 				
4.	☐ This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)). ☐ the description, pages ☐ the claims, Nos. ☐ the drawings, sheets/figs ☐ the sequence listing (specify): ☐ any table(s) related to sequence listing (specify):				
	* If item 4 applies, se	ome or all of these sheets may be marked "superseded."			

INTERNATIONAL PRELIMINARY REPORT **ON PATENTABILITY**

International application No. PCT/EP2004/006115

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial Box No. V applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-10

No:

Inventive step (IS)

Claims Yes: Claims

1-10

No: Claims

Industrial applicability (IA)

Yes: Claims

1-10

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

AP16 Res'4 TGT. PTC 05 DEC 2005

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/EP2004/006115

Re Item V.

1 The following documents are referred to in this communication:

D1: US 3 825 484 A (FRONSMAN L ET AL) 23 July 1974 (1974-07-23)

D2: DATABASE WPI Section Ch, Week 197649 Derwent Publications Ltd., London, GB; Class M14, AN 1976-91354X XP002294718 -&; JP 51 119632 A (CHUO KK) 20 October 1976 (1976-10-20)

- 2) The present application defines a method for regenerating iron-containing copper pickling or etching solutions by electrolytically depositing copper (claim 1), an apparatus for performing the method (claim 7) and a system for etching or pickling copper (claim 10).
- 3) Document D1, which is considered to represent the most relevant state of the art, discloses (see column 1, lines 40-57, column 2, line 65 to column 4, line 73, claims and figures) a method and apparatus for regenerating iron chloride containing copper etching baths. The method includes feeding the used etchant to a membrane and diaphragm free electrolysis cell containing a plurality of rotating cathodes and fixed inert anodes. The cathodes rotate into and out of the bath. The cell also comprises a scraper placed outside the bath for removing copper from the cathodes and deflector means for collecting this copper outside the cell. The unit is sealed by a cover.

The subject-matter of the independent claims differs from the disclosure of document D1 in that the means are provided to apply a potential to the recovered copper. The claimed subject-matter is therefore novel (Art. 33(2) PCT)

The problem to be solved by the present invention may be regarded as providing a simpler and more compact electrolysis apparatus that is easy to employ in situ.

3.1) The application of a potential to the recovered copper prevents it from redissolving and thus allows it to be directly recovered in the bath. Thus there is no need for the cathode to rotate out of the bath. This allows a simple compact bath with integrated copper recovery to be used as well as a smaller cathode. Thus the problem is solved.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/EP2004/006115

The use of a potential to prevent copper redissolution is known from document D2, however this relates to a cell with a diaphragm and without a scraper.

In order for the use of a potential to prevent copper redissolution to be useful, the copper has to be recovered in the bath. Document D2 does not provide a teaching enabling a skilled person to modify the entire cathode and copper recovery structure of document D1 to enable copper to be recovered directly in the bath. Thus a combination of documents D1 and D2 does not make the claimed subject-matter obvious. Hence an inventive step can be recognised for the subject-matter of claims 1-10 (Article 33(3) PCT).

10

15

14 AP16 Rec'd PETIFTO 05 DEC 2005

PCT/EP2004/006115

13324WO CB/av

CLAIMS

- Method for regenerating etching solutions containing iron for the use in etching or pickling copper or copper alloys, characterized by the following steps:
 - (i) feeding the etching solution to be regenerated from the etching system into an electrolysis cell being hermetically sealed or having an anode hood (8), the electrolysis cell comprising a cathode (1), an inert anode (2), means (3) for removing the electrolytically deposited copper from the cathode and means (4) for collecting the removed copper and applying a potential to the removed copper, wherein the electrolysis cell does not have an ion exchange membrane or a diaphragm, and wherein the etching solution to be regenerated contacts the cathode of the electrolysis cell first,
 - (ii) electrolytically depositing the copper comprised in the etching solution at the cathode (1),
- 20 (iii) oxidising the Fe(II) comprised in the etching solution to Fe(III) at the anode (2),
 - (iv) removing the copper deposited at the cathode (1),
- 25 (v) applying a potential to the removed copper to prevent re-dissolving of the copper, and
 - (vi) returning the etching solution being thus treated to the etching system.
- 2. Method according to claim 1, characterized in that the flow of the etching solution through the electrolysis cell and/or the current flowing through the electroly-





10

20

25

sis cell is controlled by on-line measuring the concentration of Fe(II)/Fe(III) or the concentration of Cu.

- 3. Method according to claim 2, characterized in that the on-line determination of the concentration of Cu is carried out by photometric methods or by potentiometric measurement.
 - 4. Methods according to claims 1-3, characterized in that the electrolysis is carried out in the electrolysis cell using direct current.
 - 5. Method according to claims 1-3, characterized in that the electrolysis is carried out in the electrolysis cell using pulsed current.
- 6. Method according to claims 1-5, characterized in that the etching solution is allowed to flow to the cathode first and subsequently to the anode.
 - 7. Apparatus for carrying out the method according to claims 1-6, comprising a separate electrolysis cell being hermetically sealed or having an anode hood (8), the electrolysis cell having a cathode (1) and an inert anode (2), means (3) for removing the electrolytically deposited copper from the cathode, means (4) for collecting the removed copper and for applying a potential to the removed copper, an inlet (5) in the lower region of the electrolysis cell between the cathode (1) and the means (4) for collecting the removed copper and applying a potential to the removed copper and an outlet (6), wherein the electrolysis cell does not have an ion exchange membrane or a diaphragm.
 - 8. Apparatus according to claim 7, characterized by further having valves (7) for discharging the regenerated copper.
- 9. Apparatus according to claim 7 or claim 8, characterized in that the cathode (1) is in the form of a rotating cathode and the means (3) is in the form of a stripping plate.





16

10. System for etching or pickling of work pieces comprising an apparatus according to claims 7 to 9.

3

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.